

Outdoor









Outdoor





FREEDOM TURNS ON THE IMAGINATION.

The desire for freedom is the leitmotif of Barazza's Outdoor collection. The beautiful design teams up with the innovative features to give a truly unique experience.

The collection has been designed to celebrate the feeling of independence in every one of us, offering us infinite possibilities to manage our time in new spaces. Far-reaching expanses of sun, sea and countryside become the backdrop for our most memorable moments, moments to be enjoyed without a care in the world, thanks to the hard-wearing AISI 316 stainless steel, a material that is beautiful to look at and withstands even the harshest weather.









AISI 316 stainless steel, a hard-wearing and versatile material, is also used for the Lab 316 sink with lowering, built-in or undermounted. And to add to its versatility and practicality there is a new accessory, a sink grid in HPL that sits on the bottom of the bowl and provides a handy surface to wash vegetables on and protect the bottom of the sink.

















The new Thalas telescopic mixer tap in AISI 316 stainless steel with remote control adds the perfect finishing touch to the Lab Cover 316 sink. Once it has been lowered, it can be housed under the cover to optimise space and leave the work surface uncluttered. The special B-shaped overflow is an exclusive detail found on all the AISI 316 stainless steel sinks and bowls in the Outdoor collection.





⁴⁰ cm Thalas freestanding induction hob code 1PTFID 40 cm Thalas freestanding barbecue hob code 1PTFBQ 40 cm Thalas freestanding teppanyaki hob code 1PTFTK 2x Thalas multipurpose cover code 1C306





Even if they are not needed to protect the hobs from the elements, the multi-purpose Covers provide a handy surface to place things on and give the room a completely essential look.









The secret of a winning team is its members: the chopping board in solid oak provides an interesting textural contrast with the steel and is an exceptional, compact and very hard-wearing accessory. It fits perfectly into the inside of the Cover when it is used as a tray.













A figure emerges from the shadows: the hobs in the built-in version have a 3 cm raised edge around them, creating interesting geometrical contrasts with the worktop. The stainless steel used for the worktops, fronts, drawers, sides, shelves, sinks and integrated welded bowls can have a satin or Vintage finish, further enhancing the unique features of the Thalas hobs.



BEAUTY AND FUNCTION.

The sleek lines of the square sink with radius "12" and the practical Kit Top mixer tap with remote control and pull-out spray head complete the functional work surface, the perfect balance between design and practicality.





THALAS FREESTANDING HOBS

The Outdoor collection is a complete range of Thalas freestanding hobs which are easy to move and position and are suitable for different cooking and prepping techniques. The special chemical composition of the AISI 316 stainless steel used for the hobs gives them extra protection against corrosion caused by the salty sea air, so they can be used in any environment. The practical multi-purpose Cover adds the perfect finishing touch.

1 GAS



code 1PTF1 Page 34

2 GAS



code 1PTF2 Page 34

INDUCTION



code 1PTFID Page 34

TEPPANYAKI



code 1PTFTK Page 35

BARBECUE



code 1PTFBQ Page 35

MULTIPURPOSE COVER



code 1C306 Page 35

THALAS BUILT-IN HOBS

Thalas built-in hobs can be installed on any work surface, either in stainless steel or other materials. It is a complete range suitable for different cooking and prepping techniques. The special chemical composition of the AISI 316 stainless steel of the hobs gives them extra protection against corrosion caused by the salty sea air, making them suitable for all environments.

1 GAS



code 1PTI1 Page 36

2 GAS



code 1PTI2 Page 36

INDUCTION



code 1PTIID Page 36

TEPPANYAKI



code 1PTITK Page 37

BARBECUE



code 1PTIBQ Page 37

MULTIPURPOSE COVER



code 1C306 Page 37

316 SINKS AND SQUARE BOWLS

The sinks and square bowls in the Outdoor collection come in different sizes and installations, but their designs are all sleek and minimal and the special chemical composition of the AISI 316 stainless steel gives them extra protection against corrosion caused by the salty sea air.

LAB 316 SINK WITH LOWERING 57 X 51 CM



code 1LLB616 Page 39

R."12" 316 SQUARE BOWL 40 X 40 CM



code 1QR406 Page 43

LAB 316 SINK WITH LOWERING 86 X 51 CM



code 1LLB916 Page 39

R."12" 316 SQUARE BOWL 50 X 40 CM



code 1QR506 Page 43

LAB COVER 316 SINK 57 X 51 CM



code 1LLB606 Page 41

R."12" 316 SQUARE BOWL 70 X 40 CM



code 1QR706 Page 43

MIXER TAPS

A wide range of mixer taps in AISI 316 stainless steel, with different shapes and sizes, but they all make the sinks and square bowls they are fitted onto exceptionally functional and efficient.

OFFICINA SHOWER 316



code 1RUBOF316 Page 46

MOOD ONE



code 1RUBMD1 Page 46

THALAS TELESCOPIC



code 1RUBTH Page 47

MOOD TOP



code 1RUBMDT Page 47

KIT TOP



code 1RUBMRKT Page 47



FREESTANDING AND BUILT-IN THALAS HOBS

Double ring 4.7 kW





A burner that guarantees high performance thanks to its high power. For greater precision, there are two knobs to control the 0.8 kW internal flame and the 3.9 kW external flame. Also suitable for cooking with a wok.

. . ..





Heat is only generated on the bottom of the pan and is transmitted directly to the food being cooked. At 90% efficiency, cooking times are shorter. The surface remains cool for greater safety and to make cleaning easier.

Teppanyaki





AISI 304 stainless steel electric hotplate measuring 6 mm thick for cooking meat, fish and vegetables without adding seasoning. It is divided into two cooking zones that can be used individually or together, without mixing the flavours of the different dishes. It has a thermostat and is easy to clean. Use a small amount of sparkling water with washing-up liquid and a steel brush to clean.

Chef double ring 3.5 kW





Thalas hobs with 2 gas burners are equipped with Chef double ring 3.5 kW that guarantees professional results, thanks to two flame rings than evenly distribute heat to the base of cooking instrument. The flame is directed so that is concentrated on the centre of the burner, making cooking even more rapid.

Barbecue





This electric barbecue made of lava stone absorbs fat and stops smoke from forming. The heating element is located under the grill to avoid contact with cooking liquids which could otherwise generate smoke. The quality of the cooking is just the same as with a traditional barbecue.

Multi-purpose cover



The Thalas multi-purpose cover protects the hobs from the elements, acts as a cover and surface to place items on and can also be used as a tray to carry and serve food at the table. The solid oak wood chopping board is an excellent accessory and completes its functionality.

FREESTANDING THALAS HOBS

40 cm freestanding Thalas hob























Waterproof cover



∖≗ FST






- cast iron pan support and burner caps
- double control burner
- equipment: electronic activation with battery, safety valve, eco-flame
- predisposition for LPG supply
- waterproof cover

Burner power:

1 double ring: 4.7 kW (central 0.8 kW and ring 3.9 kW)



SATIN FINISH AISI 316 STAINLESS STEEL


code 1PTF1



- extra-thick AISI 316 stainless steel
- cast iron pan support and burner caps
- equipment: electronic activation with battery, safety valve, eco-flame,
- predisposition for LPG supply
- waterproof cover

Burner power:

- 1 semi-rapid: 1.75 kW
- 1 Chef double ring: 3.5 kW



SATIN FINISH AISI 316 STAINLESS STEEL


code 1PTF2



- extra-thick AISI 316 stainless steel
- functions: power management, Booster, selective pan detection, progressive adjustment from 0 to 9, keep warm, automatic preheating, electronic child-safety lock, residual heat indicator, safety switch-off
- minimum pan diameter: ø 110 mm
- adjustable power levels: 1.6 2.0 2.4 2.8 3.2 3.7 kW
- maximum absorbed power: 3.7 kW
- equipment: Schuko mains plug
- waterproof cover Thalas 1TTH chopping board

Induction zone power:

- 1 zone ø 200 mm: 2.3-3 kW (*)
- 1 zone ø 160 mm: 1.4-2.1 kW (*) (*) with Booster function



SATIN FINISH AISI 316 STAINLESS STEEL

Accessories:









code 1PTFID



FREESTANDING THALAS HOBS

40 cm freestanding Thalas hob


























Thalas multipurpose cover waterproof cover / serving tray












- extra-thick AISI 316 stainless steel
- AISI 304 stainless steel single hotplate, 6 mm thick
- thermostat
- 2 cooking zones
- electronic temperature control 0 °C to 250 °C
- hotplate activation indicator and thermostat
- maximum absorbed power: 3 kW
- equipment: Schuko mains plug
- waterproof cover
- Thalas 1TTH chopping board



SATIN FINISH AISI 316 STAINLESS STEEL

code 1PTFTK



- extra-thick AISI 316 stainless steel
- barbecue with electric element
- cast iron grid
- lava stone to absorb cooking liquids
- AISI 304 stainless steel removable tray
- progressive adjustment from 0 to 9 heating element activation indicator maximum absorbed power: 2.4 kW
- equipment: Schuko mains plug waterproof cover



SATIN FINISH AISI 316 STAINLESS STEEL

code 1PTFBQ



- extra-thick AISI 316 stainless steel
- dual function: cover and serving tray
- compatible with all freestanding and built-in Thalas hobs
- compatible with waterproof cover





SATIN FINISH AISI 316 STAINLESS STEEL

code 1C306



BUILT-IN THALAS HOBS

37 cm built-in Thalas hob

















37 cm built-in Thalas hob
1 gas burner + Chef double ring

















37 cm built-in Thalas hob 2 induction zones



















- extra-thick AISI 316 stainless steel
- cast iron pan support and burner caps
- double control burner
- equipment: electronic activation with battery, safety valve, eco-flame, fixing clips, seal
- predisposition for LPG supply
- waterproof cover
- cut out: 34x49 cm

Burner power:

1 double ring: 4.7 kW (central 0.8 kW and ring 3.9 kW)





SATIN FINISH AISI 316 STAINLESS STEEL

code 1PTI1



- extra-thick AISI 316 stainless steel
- cast iron pan support and burner caps
- equipment: electronic activation with battery, safety valve, eco-flame, fixing clips, seal
- predisposition for LPG supply
- waterproof cover
- cut out: 34x49 cm

Burner power:

- 1 semi-rapid: 1.75 kW
- 1 Chef double ring: 3.5 kW





SATIN FINISH AISI 316 STAINLESS STEEL code 1PTI2

****≋ TEB

- extra-thick AISI 316 stainless steel
- functions: power management, Booster, selective pan detection, progressive adjustment from 0 to 9, keep warm, automatic preheating, electronic childsafety lock, residual heat indicator, safety switch-off
- minimum pan diameter: ø 110 mm
- adjustable power levels: 1.6 - 2.0 - 2.4 - 2.8 - 3.2 - 3.7 kW
- maximum absorbed power: 3.7 kW
- equipment: Schuko mains plug, fixing clips, seal
- waterproof cover
 Thalas 1TTH chopping board
- cut out: 34x49 cm

Induction zone power:

- 1 zone ø 200 mm: 2.3-3 kW (*)
 1 zone ø 160 mm: 1.4-2.1 kW (*)
- (*) with Booster function

SATIN FINISH AISI 316 STAINLESS STEEL

code 1PTIID

Accessories:





code 1BSIJ









370

BUILT-IN THALAS HOBS

37 cm built-in Thalas hob











37 cm built-in Thalas hob barbecue





















****≋ TEB

- extra-thick AISI 316 stainless steel
- AISI 304 stainless steel single hotplate, 6 mm thick
- thermostat
- 2 cooking zones
- electronic temperature control 0 °C to 250 °C
- hotplate activation indicator and thermostat
- maximum absorbed power: 3 kW
- equipment: Schuko mains plug, fixing clips, seal
- waterproof cover
- Thalas 1TTH chopping board
- cut out: 34x49 cm

SATIN FINISH AISI 316 STAINLESS STEEL

code 1PTITK



- extra-thick AISI 316 stainless steel
- barbecue with electric element
- cast iron grid
- lava stone to absorb cooking liquids
- AISI 304 stainless steel removable tray
- progressive adjustment from 0 to 9 heating element activation indicator
- maximum absorbed power: 2.4 kW equipment: Schuko mains plug, fixing
- clips, seal
- waterproof cover
- cut out: 34x49 cm



370



SATIN FINISH AISI 316 STAINLESS STEEL code 1PTIBQ

Accessories: 73



- extra-thick AISI 316 stainless steel
- dual function: cover and serving tray
- compatible with all freestanding and built-in Thalas hobs
- compatible with waterproof cover





SATIN FINISH AISI 316 STAINLESS STEEL

code 1C306



LAB 316 SINKS WITH LOWERING

flat edge built-in, flush and undermounted

57x51 cm built-in, flush and undermounted Lab 316 sink













86x51 cm built-in, flush and undermounted Lab 316 sink 1 bowl with lowering
















- extra-thick AISI 316 stainless steel
- bowl radius "0"
- 54x38.8x18.3h cm bowl
- bowl with lowering for positioning and sliding of accessories
- equipment: 3½" basket strainer waste, pop-up plug, B overflow
- tap hole: 2 holes as standard
- base unit for bowls:
 - built-in and flush: 60 cm
 - undermounted: 80 cm
- cut out: 56x49 cm flush-top and undermounted: see website



Accessories: 6 19 71

SATIN FINISH AISI 316 STAINLESS STEEL

code 1LLB616

TFEB TFT ____UM







Accessories: 6 19 67 71







श्च



- bowl radius "0"
- 83x38.8x18.3h cm bowl
- bowl with lowering for positioning and sliding of accessories
- equipment: 31/2" basket strainer waste, pop-up plug, B overflow
- tap hole: 2 holes as standard
- base unit for bowls:
 - built-in and flush: 90 cm
 - undermounted: 100 cm
- cut out: 85x49 cm flush-top and undermounted: see website





SATIN FINISH AISI 316 STAINLESS STEEL code 1LLB916

Accessories:



code 1TBF



code 1VBF





a code 1GQRN

Standard equipment:

fixing clips, space-saver trap with dishwasher connection, cardboard packaging.





LAB COVER 316 SINKS flat edge built-in and flush


57x51 cm built-in and flush Lab Cover 316 sink







- extra-thick AISI 316 stainless steel
- bowl radius "0"
- 54x34x18.3h cm bowl
- balanced, removable, AISI 316 stainless steel cover with manual opening
- equipment: 3½" basket strainer waste, B overflow, Thalas telescopic mixer tap with remote control 1RUBTH
- tap hole: 2 holes as standard
- base unit for bowls: 60 cm
- cut out: 56x49 cm flush-top: see website



SATIN FINISH AISI 316 STAINLESS STEEL

code 1LLB606

Accessories:



Standard equipment:

fixing clips, space-saver trap with dishwasher connection, cardboard packaging.







R. "12" 316 SQUARE BOWLS flat edge built-in, flush and undermounted

40x40 cm R. "12" 316 square bowl





50x40 cm R. "12" 316 square bowl flat edge built-in, flush and undermounted





70x40 cm R. "12" 316 square bowl flat edge built-in, flush and undermounted







- extra-thick AISI 316 stainless steel
- bowl radius "12"
- 40x40x20h cm bowl
- equipment: 31/2" basket strainer waste, B overflow
- base unit for bowls:
- built-in and flush: 50 cm
- undermounted: 60 cm
- cut out: 42x42 cm
- + notch for overflow
- flush-top and undermounted: see website






SATIN FINISH AISI 316 STAINLESS STEEL code 1QR406



- extra-thick AISI 316 stainless steel
- bowl radius "12"
- 50x40x20h cm bowl
- equipment: 31/2" basket strainer waste, B overflow
- base unit for bowls:
- built-in and flush: 60 cm
- undermounted: 80 cm
- cut out: 52x42 cm
- + notch for overflow

flush-top and undermounted: see website







SATIN FINISH AISI 316 STAINLESS STEEL code 1QR506



- extra-thick AISI 316 stainless steel
- bowl radius "12"
- 70x40x20h cm bowl
- equipment: 31/2" basket strainer waste, B overflow
- base unit for bowls:
- built-in and flush: 80 cm
- undermounted: 90 cm
- cut out: 72x42 cm
 - + notch for overflow

flush-top and undermounted: see website





SATIN FINISH AISI 316 STAINLESS STEEL

code 1QR706

Accessories:



code 1TOF26



code 1VOF





61

code 1VSOF



code 1CIVQ



code 1CITN



code 1TOF26N



code 1GSPA



code 1CIFX



code 1VSFX



code 1GLN



code 1GQRN



code 1SPX



fixing clips, space-saver trap with dishwasher connection, cardboard packaging.





OUTDOOR MADE TO MEASURE

Barazza outdoor products in AISI 316 stainless steel can be integrated into exclusive custom-made worktops in stainless steel with satin or Vintage finish, for unique tailoring solutions that can be customized at will.

Guidelines for outdoor Made to Measure worktops:

Finishes

The worktops in AISI 316 stainless steel are available in the refined and elegant satin finish or in the Vintage finish, in which the material comes to life thanks to a particular manual surface processing that makes each piece unique and unrepeatable.

Dimensional limits

All worktops are customizable in length, depth and thickness.

The maximum sheet size for AISI 316 stainless steel worktops with satin and Vintage finish is 4200x1250 mm.

Theoretical development is calculated like this: worktop length / depth + 2x thickness + lower folds.

Worktop depth

Wall worktops are available with a depth between 300 and 750 mm, Island worktops are available with a depth between 751 and 1200 mm; if the worktop depth exceedes 1000 mm, only 6, 8 or 12 mm thick edges can be used.

Available edge thicknesses

6 - 8 - 12 - 20 - 30 - 40 - 60 mm

Worktop reinforcement panels

All the worktops are equipped with an internal aluminum support that gives greater strength to the product and better resistance to external agents.

Joints

If a worktop has dimensions that exceed the indicated dimensional limits, it is possible to combine two or more worktops at 45° or 90° , in an "L" shape or in line. Worktops with 40 and 60 mm thickness will be equipped with a junction system.

Cooking

On the AISI 316 stainless steel worktops it is possible to install, exclusively built-in, all the Thalas hobs (in satin finish).

Washing

On the AISI 316 stainless steel worktops it is possible to weld the R. "0" sinks with lowering, the R. "0" sinks with cover and the R. "12" square bowls, either in satin or Vintage finish.

Other workings

In AISI 316 stainless steel it is also possible to make splash backs, upstands, sides, doors and shelves.







VINTAGE STAINLESS STEEL

MIXER TAPS with single lever


Officina shower 316 mixer tap with pull-out spray head



Mood One mixer tap




- AISI 316 stainless steel
- pull-out spray head ceramic disc cartridge tap rotation: 360° tap base: Ø 45 mm tap hole: Ø 35 mm



SATIN FINISH AISI 316 STAINLESS STEEL

code 1RUBOF316

- AISI 316 stainless steelceramic disc carridge
- tap rotation: 360°
- tap lotation: 666
 tap base: 45x45 mm
 tap hole: Ø 35 mm



SATIN FINISH AISI 316 STAINLESS STEEL

code 1RUBMD1



MIXER TAPS with remote control

Telescopic Thalas mixer tap with remote control




Mood Top mixer tap with remote control



Kit Top mixer tap with remote control and pull-out spray head




- AISI 316 stainless steel
- ceramic disc cartridge
- tap rotation: 360°
- tap base: Ø 55 mm
- control base: Ø 43 mm
- tap hole: Ø 35 mm
- control hole: Ø 35 mm



SATIN FINISH AISI 316 STAINLESS STEEL

code 1RUBTH


- AISI 316 stainless steel
- ceramic disc cartridge
- tap rotation: 360°
- tap base: 45x45 mm
- control base: 50x50 mm
- tap hole: Ø 35 mm
- control hole: Ø 35 mm



SATIN FINISH AISI 316 STAINLESS STEEL

code 1RUBMDT

- AISI 316 stainless steel
- ceramic disc cartridge
- tap rotation: 360°
- tap base: Ø 50 mm
- control base: Ø 50 mm
- spray-head base: Ø 55 mm
- tap hole: Ø 35 mm
- control hole: Ø 35 mm
- spray-head hole: Ø 35 mm



SATIN FINISH AISI 316 STAINLESS STEEL

code 1RUBMRKT



SINK AND BOWL ACCESSORIES

B_Free multipurpose chopping board in AISI 304 stainless steel and black HPL


Polyethylene chopping board



6 chopping board dimensions 33x41 cm

code 1TBF

AISI 304 stainless steel colander





17 colander dimensions 15x43x12h cm code 1VOF 19 colander dimensions 15x41x12h cm code 1VBF

AISI 304 stainless steel perforated bowl cover



20 colander dimensions 25x43x7h cm code 1VSOF

AISI 304 stainless steel bowl cover with black HPL chopping board




code 1CIVQ 25 bowl cover dimensions 25x43 cm





40 bowl cover dimensions 25x43 cm code 1CITN



SINK AND BOWL ACCESSORIES

Black HPL chopping board



43 chopping board dimensions 26x43 cm

code 1TOF26N

AISI 304 stainless steel bowl cover with black HPL draining rack



61 bowl cover dimensions 25x43 cm

code 1CIFX

Black HPL rack



66 rack dimensions 26.5x43 cm

code 1GLN

67 rack dimensions 26.5x48 cm

code 1GQN



Roll-Up multipurpose stainless steel rack



45 rack dimensions 46x44 cm

code 1GSPA

AISI 304 stainless steel colander with black HPL draining rack



62 colander dimensions 25x43x7h cm


code 1VSFX

Black HPL grid for bowl bottom



grid dimensions 33.8x38.3 cm

code 1GQRN



SINK AND BOWL ACCESSORIES

Thalas pop-up plug kit



with 3½" basket strainer waste and overflow hole

code 1SPX

ACCESSORIES HOBS

AISI 304 stainless steel grill




grill dimensions 27x26 cm

code 1BSIJ

Thalas solid oak wood chopping board



73 chopping board dimensions 25x35.9 cm code 1TTH



Cast iron wok adapter



35 for double rings

code 1RWJ



CLEANING PRODUCTS

Easy Clean professional cleaning cream



Multi Clean professional multipurpose detergent



Easy Clean professional microfibre cloth



Cleaning box



- professional stainless steel cleaning cream
 clean, polish and protect stainless steel
 eco formula

- 150 g each

pack of 3 code 1ECO3 pack of 12 code 1ECO12

- professional multipurpose cleaner, suitable for daily cleaning
- quickly remove dirt on all washable hard surfaces
- eco formula
- 200 ml each

code 1MC3 pack of 3 pack of 12 code 1MC12

- antibacterial
- clean and sanitize any surface without using a detergent dimensions: 40x40 cm

code 1PMA 1 piece pack of 3 code 1PMA3

Professional Cleaning Box kit contains:

- 1x Easy Clean 150 g
- 1x Multi Clean 200 ml
- 1x Easy Clean microfibre cloth

1 piece code 1CBK

ICON KEY



INSTALLATION KEY



FREESTANDING THALAS



THALAS EDGE



FLAT EDGE BUILT-IN



FLUSH-TOP



UNDERMOUNTED

WEIGHTS AND VOLUMES

PRODUCT CODE	PAGE	PACKAGING DIMENSIONS (cm)	VOLUME (m³)	WEIGHT (kg)
1C306	35/37	57x75x18	0.08	
1LLB606	41	66x61x31	0.12	19.5
1LLB616	39	66x61x31	0.12	8.5
1LLB916	39	95x61x31	0.18	12,5
1PTF1	34	57x75x18	0.08	12
1PTF2	34	57x75x18	0.08	12
1PTFID	34	57x75x18	0.08	12
1PTFBQ	35	57x75x18	0.08	18
1PTFTK	35	57x75x18	0.08	18
1PTI1	36	57x75x18	0.08	11
1PTI2	36	57x75x18	0.08	11
1PTIID	36	57x75x18	0.08	11
1PTIBQ	37	57x75x18	0.08	17
1PTITK	37	57x75x18	0.08	17
1QR406	43	49.5x49.5x27	0.07	6.5
1QR506	43	59.5x49.5x27	0.08	8.5
1QR706	43	79.5x49.5x27	0.11	10.5
1RUBMD1	46	31x48x9	0.01	2.9
1RUBMDT	47	31x48x10	0.01	2.7
1RUBMRKT	47	30x56x7	0.01	2.7
1RUBOF316	46	30x56x7	0.01	2.5
1RUBTH	47	30x56x7	0.01	3

WARRANTY

Barazza appliances comply with EEC directives and are guaranteed in Italy for 2 years.

CERTIFICATIONS

In addition to the UNI EN ISO 9001 certification, which guarantees quality control and optimisation of production processes, and has customer satisfaction as its primary objective, Barazza also complies with UNI EN ISO 14001. The aim is to maintain and improve its environmental system. This includes managing the impact of its activities in an effective and eco-sustainable manner, optimising natural resources, as well as energy resources, and implementing regular control systems for waste disposal and preventing environmental pollution.



0 m / 150 m

GENERAL NOTES

Barazza reserves the right to make any changes it deems necessary to improve its products at any time and without prior warning. The colours shown are by way of example only. Full or partial reproduction of this catalogue for commercial purposes, without specific authorisation from Barazza, is strictly forbidden.





Barazza srl

31025 Sarano di S. Lucia di Piave (TV) ITALIA Via Risorgimento, 14 Tel. +39 0438 62888 - Fax +39 0438 64901 info@barazzasrl.it - www.barazzasrl.it







